

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-2548 (Rev. 2-52)

CONEYISLANDLIGHTHOUSE.COM

RECORD OF INSPECTIONS

INCLUDING INSTRUCTIONS FOR
OFFICER-IN-CHARGE

CONEY ISLAND LIGHT STATION
(Name of unit)

3RD C.G. District. From SEPT. 1, 1952

to _____, 19____

INSTRUCTIONS

1. Record of inspections as provided herein shall be maintained at such units as required by the District Commander. A separate page shall be used for each inspection, but more than one page may be used when necessary.

2. At each inspection the district inspecting officer will note herein in sufficient detail the condition of any part of the unit not found satisfactory, including buildings and grounds, apparatus and equipment, records, personnel, etc., and will also set down proper instructions for the Officer-in-charge as to work to be done or action to be taken by him.

3. The Officer-in-charge will be held accountable for such work or action as may be directed by the district inspection officer and as noted in the records of inspections; and will state in the space provided therefor the action taken by him, with signature and date. No other statements or remarks shall be made by Officer-in-charge on this record. Inability to carry out instructions should be reported promptly by letter to the District Commander.

4. Before proceeding with the regular inspection the district inspecting officer should consult the records of the previous inspection, with especial reference to unsatisfactory conditions and instructions to Officer-in-charge relative thereto; and then make such preliminary inspection as may be necessary to ascertain whether the instructions given Officer-in-charge at previous inspection have been properly carried out. Failure to carry out instructions shall be noted in the inspection record book in detail.

Approved: March 3, 1952.

Merlin O'Neill
MERLIN O'NEILL, Vice Admiral,
U. S. Coast Guard,
Commandant.

16-19079-1

RECORD OF INSPECTIONS

(SEE INSTRUCTIONS ON INSIDE FRONT COVER)

Station inspected 15 September, 1952

Inspection made by Capt. F. P. Uetterach

Instructions to Officer-in-charge as to condition of station, special work to be attended to, etc.,

Familiarization visit
F. P. Uetterach

STATEMENT BY OFFICER-IN-CHARGE

(Officer-in-charge will state hereon action taken on above instructions, and give date of completion of repairs, etc., if any were ordered.) Admiral Borsini assumed

Inspection for inspection of station

Admiral Borsini
(Signature of Officer-in-charge)

15 Sept.

(Date)

16-19079-1

RECORD OF INSPECTIONS

(SEE INSTRUCTIONS ON INSIDE FRONT COVER)

Station inspected LCOR Jan 27, 1953

Inspection made by LCOR Morrison

Instructions to Officer-in-charge as to condition of station, special work to be attended to, etc.,

- ① Correct discrepancies as noted by Lt. Johnson and make report accordingly.
- ② Survey stop watch and ladder
- ③ Requisition new flag pole & relocate
- ④ Test water — end of city line.

STATEMENT BY OFFICER-IN-CHARGE

(Officer-in-charge will state hereon action taken on above instructions, and give date of completion of repairs, etc., if any were ordered.) Completed same

(Signature of Officer-in-charge) Admiral B. Smith
(Date) Jan 30, 1953

RECORD OF INSPECTIONS

(SEE INSTRUCTIONS ON INSIDE FRONT COVER)

Station inspected LCOR 14 April, 1953

Inspection made by LCOR Morrison

Instructions to Officer-in-charge as to condition of station, special work to be attended to, etc.,

- ① Clean out garage
- ② Get seals for fire extinguishers
- ③ Requisition sofa

STATEMENT BY OFFICER-IN-CHARGE

(Officer-in-charge will state hereon action taken on above instructions, and give date of completion of repairs, etc., if any were ordered.)

(Signature of Officer-in-charge)

(Date)

, 19

RECORD OF INSPECTIONS

(SEE INSTRUCTIONS ON INSIDE FRONT COVER)

Station inspected 19 May, 1953

Inspection made by W. H. Zimmerman ENS

Instructions to Officer-in-charge as to condition of station, special work to be attended to, etc.,

Tower is in excellent condition. It is recommended that a metal paint locker be obtained for paint storage. Stop watch should either be surveyed or repaired. Flap valve should be replaced. Safety valve should be put on hot water tank. A longer cord for the FM headset should be obtained. Range could stand cleaning up.

W. H. Zimmerman ENS

STATEMENT BY OFFICER-IN-CHARGE

(Officer-in-charge will state hereon action taken on above instructions, and give date of completion of repairs, etc., if any were ordered.)

(Signature of Officer-in-charge)

(Date)

, 19

16-19079-1

RECORD OF INSPECTIONS

(SEE INSTRUCTIONS ON INSIDE FRONT COVER)

Station inspected 29 July, 1953

Inspection made by ENS R. R. Waachtel

Instructions to Officer-in-charge as to condition of station, special work to be attended to, etc.,

The tower is in excellent condition. It is recommended that this station be supplied with a longer cord for FM at, a stop watch, and a studio couch. The mechanical clock work should be overhauled on next annual inspection. The following alterations should be considered; replacing mechanical clock work on light with electric equipment and an improved ventilation system for radio transmitter room.

R. R. Waachtel, ENS

STATEMENT BY OFFICER-IN-CHARGE

(Officer-in-charge will state hereon action taken on above instructions, and give date of completion of repairs, etc., if any were ordered.) from work completed Sept 1953

(Signature of Officer-in-charge)

(Date)

, 19

16-19079-1

RECORD OF INSPECTIONS

(SEE INSTRUCTIONS ON INSIDE FRONT COVER)

Station inspected 2/ August, 19 53

Inspection made by Lt. Frank Little, 1500 2nd Dist 8741

Instructions to Officer-in-charge as to condition of station, special work to be attended to, etc.,

Inspected station and found to be in very good condition.

Frank Little

STATEMENT BY OFFICER-IN-CHARGE

(Officer-in-charge will state hereon action taken on above instructions, and give date of completion of repairs, etc., if any were ordered.)

A. J. Bismarck
(Signature of Officer-in-charge)
Aug 31, 19 53
(Date)

16-19079-1

RECORD OF INSPECTIONS

(SEE INSTRUCTIONS ON INSIDE FRONT COVER)

Station inspected 21 October, 19 53

Inspection made by Lt. D. W. Morell

Instructions to Officer-in-charge as to condition of station, special work to be attended to, etc.,

1. Tower condition good. Tower to be painted throughout next spring.
2. Fm extension cord installed.
3. Check Fm transmitter operation twice a week.
4. Picked up stop-watch. D. J. Morell.

STATEMENT BY OFFICER-IN-CHARGE

(Officer-in-charge will state hereon action taken on above instructions, and give date of completion of repairs, etc., if any were ordered.) above work completed

A. J. Bismarck
(Signature of Officer-in-charge)
Nov 10, 19 53
(Date)

16-19079-1

(SEE INSTRUCTIONS ON INSIDE FRONT COVER)

Station inspected ^{LTH} Coney Island 27 November 1953

Inspection made by LTJG Lysle F. Hadly

Instructions to Officer-in-charge as to condition of station, special work to be attended to, etc.,

1. Letter should be submitted to 3CGD through Group New York requesting some type of additional ventilation in ^{LTH} general Radio Beacon house.
2. Also a request for some type of assistance in restoring driveway & protection of fog bell foundation.
3. Condition of station is very good with above exceptions.

Lysle F. Hadly LTJG

(Officer-in-charge will state hereon action taken on above instructions, and give date of completion of repairs, etc., if any were ordered.)

1. Letter submitted 21 Dec. 1953

2. Aids to Navigation Officer suggested Keeper use wheelbarrow to remove rocks.

Adrian J. Boismont
(Signature of Officer-in-charge)

Dec 24, 19 53
(Date)

(SEE INSTRUCTIONS ON INSIDE FRONT COVER)

Station inspected 29 January, 19 54

Inspection made by LTJG Lysle F. Hadly

Instructions to Officer-in-charge as to condition of station, special work to be attended to, etc.,

- # 1. Ventilation in Radio Beacon House to be increased in summer by District. Action by letter should be taken late in the Spring to insure removal of hazard.
2. Station is in excellent condition and previous discrepancies have been correct as ^{well} as they could be at this time.

Lysle F. Hadly LTJG

(Officer-in-charge will state hereon action taken on above instructions, and give date of completion of repairs, etc., if any were ordered.)

Adrian J. Boismont
(Signature of Officer-in-charge)

29 January, 19 54
(Date)

RECORD OF INSPECTIONS

(SEE INSTRUCTIONS ON INSIDE FRONT COVER)

Station inspected 3 March, 1954
Inspection made by CDR D.H. BARTLETT + LT. J.J. SCOTT
EASTERN INSPECTOR
Instructions to Officer-in-charge as to condition of station, special work to be attended to, etc.,

1. Minor discrepancies will be reported direct to Keeper with copies to Dist and Group Cdr.

See report Eastern Inspector

[Signature]

STATEMENT BY OFFICER-IN-CHARGE

(Officer-in-charge will state hereon action taken on above instructions, and give date of completion of repairs, etc., if any were ordered.)

[Signature]
(Signature of Officer-in-charge)

3 March, 1954
(Date)

RECORD OF INSPECTIONS

(SEE INSTRUCTIONS ON INSIDE FRONT COVER)

Station inspected 13 May, 1954
Inspection made by W.J. BAKER JR. LT.
Instructions to Officer-in-charge as to condition of station, special work to be attended to, etc.,

STATION IS IN EXCELLENT CONDITION. ALL PREVIOUS DISCREPANCIES EXCEPT PAINTING HAVE BEEN TAKEN CARE OF. AS TO PAINTING KEEPER IS AT THIS TIME IN THE PROCESS OF PAINTING ALL BUILDINGS AND TOWER.

[Signature]

STATEMENT BY OFFICER-IN-CHARGE

(Officer-in-charge will state hereon action taken on above instructions, and give date of completion of repairs, etc., if any were ordered.)

[Signature]
(Signature of Officer-in-charge)

13 May, 1954
(Date)

RECORD OF INSPECTIONS

(SEE INSTRUCTIONS ON INSIDE FRONT COVER)

Station inspected Lodi L. C. Avenue, Lodi

Inspection made by 22 July 1954

Instructions to Officer-in-charge as to condition of station, special work to be attended to, etc.,

Greek Port Officers (5) visited this unit this date as part of their indoctrination in CG procedures and operations. Station was found in very good condition and together with Mr. Boisvert's appearance and brief explanation of equipment reflected most favorably.

Pat Henry, Lodi

STATEMENT BY OFFICER-IN-CHARGE

(Officer-in-charge will state hereon action taken on above instructions, and give date of completion of repairs, etc., if any were ordered.)

Alvin J. Boisvert
(Signature of Officer-in-charge)

July 22, 1954
(Date)

16-19079-1

RECORD OF INSPECTIONS

(SEE INSTRUCTIONS ON INSIDE FRONT COVER)

Station inspected 24 August, 1954

Inspection made by LT Goulden Snyder USCGR + LT. RALPH SANDS USCGR-R

Instructions to Officer-in-charge as to condition of station, special work to be attended to, etc.,

Station found to be in good shape. Painting of tower underway. Radioshack still in need of ventilation. So reported to office. Station kept + wife most cooperative.

G. Snyder LT.
R. Sands LT

STATEMENT BY OFFICER-IN-CHARGE

(Officer-in-charge will state hereon action taken on above instructions, and give date of completion of repairs, etc., if any were ordered.)

Alvin J. Boisvert
(Signature of Officer-in-charge)

Aug 25, 1954
(Date)

16-19079-1

RECORD OF INSPECTIONS

(SEE INSTRUCTIONS ON INSIDE FRONT COVER)

Station inspected 11 January, 1955
 Inspection made by T. H. KALTMAN ENS WH-3-3375

Instructions to Officer-in-charge as to condition of station, special work to be attended to, etc.,

This station inspected and found in need of following work:

1. Weigh fire extinguishers & recharge acid type extinguisher
2. Light is to be shaded during day
3. House & tower to be generally tidied up
4. Post radio call letters near radio
5. Paint frame work on house and garage
6. Submit letter estimating cost of fertilizer, top soil & seed for lawn to Superintendent
7. Stencil CG furnishings
8. Inventory title O equipment & report same to Superintendent
9. Requisition medical supplies
10. Post no smoking signs in the vicinity of points & inflammables in garage & tower
11. Enter changes in publications not up to date

STATEMENT BY OFFICER-IN-CHARGE

(Officer-in-charge will state hereon action taken on above instructions, and give date of completion of repairs, etc., if any were ordered.) None Inspection made

on 11 January 1955 not 1954
 work will be taken care of as soon as
 keeper come out of hospital and perform
 duty. Keeper wife operate light during
 keeper absence without pay

Jan 14 1955
 (Signature of Officer-in-charge)
T. H. Kaltman
 (Date)

16-19079-1

RECORD OF INSPECTIONS

(SEE INSTRUCTIONS ON INSIDE FRONT COVER)

Station inspected 23 March, 1955
 Inspection made by T. H. KALTMAN

Instructions to Officer-in-charge as to condition of station, special work to be attended to, etc.,

*Station found in good operational and material condition. Keeper instructed to continue with work orders of January inspection. Special emphasis is to be paid to entering changes to publications.**

T. H. Kaltman

* Paint & Color Manual
Volume 7, Comptroller's Manual
Filing Manual

STATEMENT BY OFFICER-IN-CHARGE

(Officer-in-charge will state hereon action taken on above instructions, and give date of completion of repairs, etc., if any were ordered.) Completion of work Inspection of

11 Jan 55 - Item 1-2-3-4-5-6-7-10-11 completed as of
April 20 - 1955 (Comptroller Manual) (Paint & color Manual)
 and (Filing Manual) on completed as of April 20 55

A. J. Bismark
 (Signature of Officer-in-charge)
April 20 1955
 (Date)

16-19079-1

RECORD OF INSPECTIONS

(SEE INSTRUCTIONS ON INSIDE FRONT COVER)

Station inspected 12 April, 1955

Inspection made by J. H. Kaltman

Instructions to Officer-in-charge as to condition of station, special work to be attended to, etc.,

O-I-C is to continue ^{with} work items listed during inspection of 11 January and 23 March. In addition a paint record is to be established in accordance with directions in Paint Manual.

The following worn out equipment is to be disposed of by memorandum to the District in accordance with ^{District} Comptroller's Instr. 6-55:

Lawnmower

Ladder

W reelbarrow

J. H. Kaltman

STATEMENT BY OFFICER-IN-CHARGE

(Officer-in-charge will state hereon action taken on above instructions, and give date of completion of repairs, etc., if any were ordered.)

Ladder & reelbarrow removed & destroyed as of May 1, 1955

(Signature of Officer-in-charge)

(Date)

1955

16-19079-1

RECORD OF INSPECTIONS

(SEE INSTRUCTIONS ON INSIDE FRONT COVER)

Station inspected 20 April, 1955

Inspection made by Edith A. Haver / Capt. H. A. Meyer

Instructions to Officer-in-charge as to condition of station, special work to be attended to, etc.,

Station is found in satisfactory material and good operating condition. Station to continue care of outstanding discrepancies listed in preceding reports since 11 January 1955 and make appropriate remarks below when each item is completed. Recommend station commence disposal of miscellaneous gear of house and consolidation of other equipment, particularly in garage area. Authorize well car for with free car on materials under runway; arrangements for evening fire extinguishers. Station to install fire extinguisher in light tower, provide safety markings of ladder accesses on ladder run and watch room platform. La Haver, Edith checked light characteristics. H. A. Meyer, Capt.

STATEMENT BY OFFICER-IN-CHARGE

(Officer-in-charge will state hereon action taken on above instructions, and give date of completion of repairs, etc., if any were ordered.)

Work is in progress as of May 1, 1955

(Signature of Officer-in-charge)

(Date)

1955

16-19079-1

(SEE INSTRUCTIONS ON INSIDE FRONT COVER)

Station inspected 25 April 1955
Eno. J. H. Kaltman, 19

Inspection made by _____

Instructions to Officer-in-charge as to condition of station, special work to be attended to, etc.,

Weigh and date all CO₂ fire extinguishers monthly.

Continue work on uncompleted items of previous inspection.

Clean up and square away garage.

J. H. Kaltman

STATEMENT BY OFFICER-IN-CHARGE

(Officer-in-charge will state hereon action taken on above instructions, and give date of completion of repairs, etc., if any were ordered.)

work is nearly completed

A. J. Baird
(Signature of Officer-in-charge)

May 15, 1955
(Date)

16-19079-1

(SEE INSTRUCTIONS ON INSIDE FRONT COVER)

Station inspected 9 June, 1955

Inspection made by T. H. KALTMAN

Instructions to Officer-in-charge as to condition of station, special work to be attended to, etc.,

Station found in good material condition.

The following items listed in previous inspections remain to be completed:

1. Establish paint record
2. Continue straightening up in garage
3. Continue outside painting
4. Weigh CO₂ extinguishers ~~monthly~~ monthly

The following new work items are noted:

5. Order a 5# and a 15# CO₂ extinguishers for the tower and house respectively
6. Paint around accesses with yellow and blue safety warnings in the tower
7. Post no smoking sign in bottom of tower
8. Clean up and paint basement

STATEMENT BY OFFICER-IN-CHARGE

(Officer-in-charge will state hereon action taken on above instructions, and give date of completion of repairs, etc., if any were ordered.)

Painting record enters in log
all above work completed as of Oct. 30 55

Fire Extinguishers Order & despatched by truck
all other work completed

Adrian J. Baird
(Signature of Officer-in-charge)

Oct 31, 1955
(Date)

16-19079-1

RECORD OF INSPECTIONS

(SEE INSTRUCTIONS ON INSIDE FRONT COVER)

Station inspected 16 August, 1955
 Inspection made by LTJG T.H. KALTMAL

Instructions to Officer-in-charge as to condition of station, special work to be attended to, etc.,

1. Continue correcting deficiencies listed in inspection of 9 June.
 2. Fix and ~~repair~~ ^{paint} gate
 3. Order grass seed
 4. Paint safety marking on beam over alley
 5. Patch asbestos on pipes over coal bin ^{stair}
 6. Replace cracked glass in tower.
- J. H. Kaltman

STATEMENT BY OFFICER-IN-CHARGE

(Officer-in-charge will state hereon action taken on above instructions, and give date of completion of repairs, etc., if any were ordered.) All work completed

Adrian J. Boismat
 (Signature of Officer-in-charge)

Oct. 31, 1955
 (Date)

RECORD OF INSPECTIONS

(SEE INSTRUCTIONS ON INSIDE FRONT COVER)

Station inspected 13 Sept., 1955
 Inspection made by J. J. Lucinski Cdr USCS

Instructions to Officer-in-charge as to condition of station, special work to be attended to, etc.,

Station in general in good condition as to keeper's work.

STATEMENT BY OFFICER-IN-CHARGE

(Officer-in-charge will state hereon action taken on above instructions, and give date of completion of repairs, etc., if any were ordered.) Inspection satisfactory

Adrian J. Boismat
 (Signature of Officer-in-charge)

13 Sept., 1955
 (Date)

RECORD OF INSPECTIONS

(SEE INSTRUCTIONS ON INSIDE FRONT COVER)

Station inspected 3 November, 1955

Inspection made by LTV6 T. H. Bodner

Instructions to Officer-in-charge as to condition of station, special work to be attended to, etc.,

This station found in good material condition.

Keeper is to continue correcting deficiencies noted in previous inspections.

T. H. Bodner

STATEMENT BY OFFICER-IN-CHARGE

(Officer-in-charge will state hereon action taken on above instructions, and give date of completion of repairs, etc., if any were ordered.)

All work of previous inspection completed

Adrian J. Brims
(Signature of Officer-in-charge)

Dec 15, 1955
(Date)

RECORD OF INSPECTIONS

(SEE INSTRUCTIONS ON INSIDE FRONT COVER)

Station inspected 25 May, 1956

Inspection made by LTV6 T. H. Bodner

Instructions to Officer-in-charge as to condition of station, special work to be attended to, etc.,

This station visited this date.

T. H. Bodner

STATEMENT BY OFFICER-IN-CHARGE

(Officer-in-charge will state hereon action taken on above instructions, and give date of completion of repairs, etc., if any were ordered.)

Assumed done inspection

Adrian J. Brims
(Signature of Officer-in-charge)

25 May, 1956
(Date)

RECORD OF INSPECTIONS

(SEE INSTRUCTIONS ON INSIDE FRONT COVER)

Station inspected October 23, 1956

Inspection made by Boyd B. Bonnicksen RELE, USCG.

Instructions to Officer-in-charge as to condition of station, special work to be attended to, etc.,

Inspected all electronic equipment, spare tubes for
Radio beam Transmitter inadequate

Boyd B. Bonnicksen, RELE.

STATEMENT BY OFFICER-IN-CHARGE

(Officer-in-charge will state hereon action taken on above instructions, and give date of completion of repairs, etc., if any were ordered.) Advise Electronics to order
tubes

Admiral J. Boisson
(Signature of Officer-in-charge)
Nov 8, 1956
(Date)

RECORD OF INSPECTIONS

(SEE INSTRUCTIONS ON INSIDE FRONT COVER)

Station inspected 13 December, 1956

Inspection made by RA Lempert Ens USCGR

Instructions to Officer-in-charge as to condition of station, special work to be attended to, etc.,

Station visited on this date and found
to be in generally good material
condition - Satisfactory arrangements
for garbage disposal are not available -
Ceilings in living room and kitchen
need refinishing - Filing and
administration need improvement -

RA Lempert
Ens USCGR

STATEMENT BY OFFICER-IN-CHARGE

(Officer-in-charge will state hereon action taken on above instructions, and give date of completion of repairs, etc., if any were ordered.)

Admiral J. Boisson
(Signature of Officer-in-charge)
(Date), 1956

RECORD OF INSPECTIONS

(SEE INSTRUCTIONS ON INSIDE FRONT COVER)

Station inspected 6-11-57, 1957

Inspection made by V.C. Gibson, Capt, Chief Engng Div, C3C4D

Instructions to Officer-in-charge as to condition of station, special work to be attended to, etc.,

In general, station is in very good condition and is well maintained. Lt tower is in need of regular annual cleaning and painting. Kitchen and bathroom are in need of modernization - same to be carried as deferred maintenance until accomplished by District.
V.C. Gibson

STATEMENT BY OFFICER-IN-CHARGE

(Officer-in-charge will state hereon action taken on above instructions, and give date of completion of repairs, etc., if any were ordered.)

Admiral J. B. Bowers
(Signature of Officer-in-charge)
(Date) 6-12-57, 1957

16-19079-1

RECORD OF INSPECTIONS

(SEE INSTRUCTIONS ON INSIDE FRONT COVER)

Station inspected 7/11/57, 1957

Inspection made by Claus Bergman

Instructions to Officer-in-charge as to condition of station, special work to be attended to, etc.,

The station is in generally good condition. At this time the regular officer in charge, and the acting officer in charge; Sprague Richard (2045-596) SN U.S.C.G.R. is doing a very competent job. The kitchen ceiling needs replastering. All equipment is functioning properly and is well taken care of. The light tower has not yet been painted and this should be done upon the return of the O. I. C. Also the Coast Guard Stocklist (Cb 285 & 287) should be brought up to date, amendments entered etc.
Claus Bergman Ens O.I.C.

STATEMENT BY OFFICER-IN-CHARGE

(Officer-in-charge will state hereon action taken on above instructions, and give date of completion of repairs, etc., if any were ordered.)

C.G. Stocklist is brought up to date as of July 25-57. Painting of tower will follow.

Admiral J. B. Bowers
(Signature of Officer-in-charge)
(Date) July 25, 1957

16-19079-1

RECORD OF INSPECTIONS

(SEE INSTRUCTIONS ON INSIDE FRONT COVER)

Station inspected 7 Nov, 1957
 Inspection made by Capt W.B. Maffington, Ch A/D
 Instructions to Officer-in-charge as to condition of station, special work to be attended to, etc.,

Familiarization visit - station
 in general good condition.
 Tower in process of being
 painted. Repairs to derricking
 mentioned in previous reports
 not accomplished. One
 not on board during this
 visit

W.B. Maffington

STATEMENT BY OFFICER-IN-CHARGE

(Officer-in-charge will state hereon action taken on above instructions, and give date of completion of repairs, etc., if any were ordered.)

Nothing was ordered to be done. 22 plug to be

Admiral J. B. Boush
 (Signature of Officer-in-charge)
 (Date) 8 Nov 57, 1957

RECORD OF INSPECTIONS

(SEE INSTRUCTIONS ON INSIDE FRONT COVER)

Station inspected Dec 17, 1957
 Inspection made by Joseph A. Scifo, District Electronic Eng.
 Instructions to Officer-in-charge as to condition of station, special work to be attended to, etc.,

Plan new antenna installation for the
Radio Beacon.

Joseph A. Scifo

STATEMENT BY OFFICER-IN-CHARGE

(Officer-in-charge will state hereon action taken on above instructions, and give date of completion of repairs, etc., if any were ordered.)

Assessed above inspection

Admiral J. B. Boush
 (Signature of Officer-in-charge)
 (Date) Dec 17, 1957

RECORD OF INSPECTIONS

(SEE INSTRUCTIONS ON INSIDE FRONT COVER)

Station inspected 8 September, 1958

Inspection made by Stanley E. Hansen ^{1st} Commander Group NY

Instructions to Officer-in-charge as to condition of station, special work to be attended to, etc.,

This station appears to be in good condition within the capabilities of the paper.

The living quarters, in particular the kitchen and bathroom, are in need of modernization. The kitchen sink still has not been repaired.

The paper is directed to submit a work request to District 100 via Commander Group NY, in order to get this work done.

Stanley E. Hansen

STATEMENT BY OFFICER-IN-CHARGE

(Officer-in-charge will state hereon action taken on above instructions, and give date of completion of repairs, etc., if any were ordered.) Sgt 18-58 District Engineer (100)

at Sta 1 like movement on work to be done
at Sta

Admiral J. Boissinot
(Signature of Officer-in-charge)
Sgt 18-58, 19
(Date)

RECORD OF INSPECTIONS

(SEE INSTRUCTIONS ON INSIDE FRONT COVER)

Station inspected 22 September, 1959

Inspection made by Godwin W. Roussau ^{1st} Commander Group NY

Instructions to Officer-in-charge as to condition of station, special work to be attended to, etc.,

This station is in very good condition. Repairs have been accomplished. Everything seems to be to satisfaction of inspectors & personnel residing here.

Godwin W. Roussau

STATEMENT BY OFFICER-IN-CHARGE

(Officer-in-charge will state hereon action taken on above instructions, and give date of completion of repairs, etc., if any were ordered.) ✓

Admiral J. Boissinot
(Signature of Officer-in-charge)
Sgt 22, 1959
(Date)

RECORD OF INSPECTIONS

(SEE INSTRUCTIONS ON INSIDE FRONT COVER)

Station inspected 12 Nov, 1959

Inspection made by CAPT W B WILLINGTON

Instructions to Officer-in-charge as to condition of station, special work to be attended to, etc.,

Visited station this date

W B Willington
CHAS E 365

STATEMENT BY OFFICER-IN-CHARGE

(Officer-in-charge will state hereon action taken on above instructions, and give date of completion of repairs, etc., if any were ordered.)

Admiral J. B. B. B.
(Signature of Officer-in-charge)

12 Nov, 1959
(Date)

RECORD OF INSPECTIONS

(SEE INSTRUCTIONS ON INSIDE FRONT COVER)

Station inspected 13 November, 1959

Inspection made by LTC R. P. KRAUSE and CHAS E. S. HUDSON

Instructions to Officer-in-charge as to condition of station, special work to be attended to, etc.,

Station visited this date and found to be in generally good condition. Visit mainly to check on items such as Hot water heater and washing machine.

R. P. Krause
E. S. Hudson

STATEMENT BY OFFICER-IN-CHARGE

(Officer-in-charge will state hereon action taken on above instructions, and give date of completion of repairs, etc., if any were ordered.)

Admiral J. B. B. B.
(Signature of Officer-in-charge)

13 Nov, 1959
(Date)

RECORD OF INSPECTIONS

(SEE INSTRUCTIONS ON INSIDE FRONT COVER)

Station inspected July 23, 1960

Inspection made by Chief Unit Eng Section

Instructions to Officer-in-charge as to condition of station, special work to be attended to, etc.,

Station found in excellent condition. All
own apparatus in good order. No instructions
issued.

Per Schubert

STATEMENT BY OFFICER-IN-CHARGE

(Officer-in-charge will state hereon action taken on above instructions, and give date of completion of repairs, etc., if any were ordered.)

Assisted Inspector at the Sta
Inspection

Admiral Boush
(Signature of Officer-in-charge)

July 23, 1960
(Date)

RECORD OF INSPECTIONS

(SEE INSTRUCTIONS ON INSIDE FRONT COVER)

Station inspected 6 April, 1960

Inspection made by LTJG R.P. Knauff and ENSR E.S. Hudson

Instructions to Officer-in-charge as to condition of station, special work to be attended to, etc.,

Station inspected this date and found to be
in excellent material condition. Administratively,
the station is satisfactory, but work should be done
to straighten out the files.

RP Knauff
E.S. Hudson

STATEMENT BY OFFICER-IN-CHARGE

(Officer-in-charge will state hereon action taken on above instructions, and give date of completion of repairs, etc., if any were ordered.)

Files have been
corrected

Frank P. Schubert
(Signature of Officer-in-charge)

July 6, 1960
(Date)

(SEE INSTRUCTIONS ON INSIDE FRONT COVER)

Station inspected 6 MARCH, 1961

Inspection made by LTJG JOSEPH B. EMBRES & ES. HUDSON, CH-308N

Instructions to Officer-in-charge as to condition of station, special work to be attended to, etc.,

This unit visited this date. Fire Inspection was held. The officer ^{in charge} instructed to correct improper procedure of recording (TITLE "B") inventory. Station found in good condition. Officer in charge instructed to requisition a new stove, washing machine as these items are not operating properly, and a dryer cloth dryer also a letter to have dryer added to allowance list (TITLE "B") OINE to paint under light tower platform when weather conditions permit.

*Joseph B. Embres
Es. Hudson*

STATEMENT BY OFFICER-IN-CHARGE

(Officer-in-charge will state hereon action taken on above instructions, and give date of completion of repairs, etc., if any were ordered.)

6 March 1960 corrected Title B Inventory new Stove, washing machine + dryer have been ordered tower platform has been painted

Frank P. Schubert
(Signature of Officer-in-charge)
4 May, 1961
(Date)

(SEE INSTRUCTIONS ON INSIDE FRONT COVER)

Station inspected 5 JULY, 1961

Inspection made by LTJG JOSEPH B. EMBRES

Instructions to Officer-in-charge as to condition of station, special work to be attended to, etc.,

ATON EQUIPMENT CHECKED AND FOUND TO BE OPERATING WITHIN PRESCRIBED TOLERANCES. NEW STOVE HAS NOT BEEN REQUISITIONED. ONE DIRECTED TO DO SO. EXTERIOR OF BUILDING IN PROCESS OF BEING PAINTED. OVERALL MATERIAL CONDITION OF BUILDING + GROUNDS IS SATISFACTORY.

Joseph B. Embres

STATEMENT BY OFFICER-IN-CHARGE

(Officer-in-charge will state hereon action taken on above instructions, and give date of completion of repairs, etc., if any were ordered.)

new Stove had been ordered

Frank P. Schubert
(Signature of Officer-in-charge)
7 Nov, 1961
(Date)

RECORD OF INSPECTIONS

(SEE INSTRUCTIONS ON INSIDE FRONT COVER)

Station inspected 31 July, 19 61

Inspection made by XO Group NY

Instructions to Officer-in-charge as to condition of station, special work to be attended to, etc.,

Familiarization visit with LTJG Embre.

B. Nowalsky LCDR

STATEMENT BY OFFICER-IN-CHARGE

(Officer-in-charge will state hereon action taken on above instructions, and give date of completion of repairs, etc., if any were ordered.) No action needed

Frank P. Schubert
(Signature of Officer-in-charge)

Nov, 19 61
(Date)

16-19079-1

RECORD OF INSPECTIONS

(SEE INSTRUCTIONS ON INSIDE FRONT COVER)

Station inspected 6 SEPT, 19 61

Inspection made by LTJG J B EMBRES

Instructions to Officer-in-charge as to condition of station, special work to be attended to, etc.,

EASTERN INSPECTORS REPORT WAS
DISCUSSED WITH PLANS TO CORRECT
DEFICIENCIES. OINC DIR TO SUBMIT
REQUIRED LETTERS + CSMP CARDS BY
END OF NEXT WEEK

[Signature]

STATEMENT BY OFFICER-IN-CHARGE

(Officer-in-charge will state hereon action taken on above instructions, and give date of completion of repairs, etc., if any were ordered.) Letters + CSMP cards

have been submitted

Frank P. Schubert
(Signature of Officer-in-charge)

7 Nov, 19 61
(Date)

16-19079-1

RECORD OF INSPECTIONS

(SEE INSTRUCTIONS ON INSIDE FRONT COVER)

Station inspected 7 NOV, 1961

Inspection made by LT J G J B EMBRES

Instructions to Officer-in-charge as to condition of station, special work to be attended to, etc.,

ATON EQUIPMENT CHECKED & FOUND TO BE OPERATING
WITHIN PRESCRIBED TOLERANCES. OINC DIR TO SUBMIT REQ
UEST FOR SURVEY FOR 4" CHAL SEA CLOCK. 2. HAVE OIL
BURNER CHECKED & CLEANED. 3. CLEAN WINDOW PANE
IN LIGHT TOWER. 4. CLEAN LAMP SHADE.
MINOR PROSION WAS NOTED ALONG SEAWALL.

Embres LT J G

STATEMENT BY OFFICER-IN-CHARGE

(Officer-in-charge will state hereon action taken on above instructions, and give date of completion of repairs, etc., if any were ordered.)

Lamp shade + windows
in tower have been cleaned. Oil burner
man has been requested

Frank P Schubert
(Signature of Officer-in-charge)

8 Nov, 1961
(Date)

RECORD OF INSPECTIONS

(SEE INSTRUCTIONS ON INSIDE FRONT COVER)

Station inspected 15 November, 1961

Inspection made by Operation Officer, Group New York

Instructions to Officer-in-charge as to condition of station, special work to be attended to, etc.,

Some items on Eastern inspectors report dated
30 Aug 1961 have not been corrected as yet. Oinc
directed to follow up on these discrepancies. No statements
or signature entered in "Statement by Officer in Charge"
space for inspections of 6 March 1961, 5 July 1961,
31 July 1961, 6 Sept 1961 and 7 Nov 1961. Oinc directed
to correct listed discrepancies in these reports and
to certify correction by appropriate entries and
signatures.

George D. Shroy

STATEMENT BY OFFICER-IN-CHARGE

(Officer-in-charge will state hereon action taken on above instructions, and give date of completion of repairs, etc., if any were ordered.)

Discrepancies remedied

Frank P Schubert
(Signature of Officer-in-charge)

20 Nov. 1961, 1961
(Date)

RECORD OF INSPECTIONS

(SEE INSTRUCTIONS ON INSIDE FRONT COVER)

Station inspected 24 JAN, 1962

Inspection made by LTJG J.B. EMBRES

Instructions to Officer-in-charge as to condition of station, special work to be attended to, etc.,

ATOM EQUIPMENT CHECKED & FOUND TO BE OPERATING
WITHIN PRESCRIBED TOLERANCES. A NEW ALLOWANCE
LIST CHECKED & A FEW DISCREPANCIES WERE NOTED.
NECESSARY CORRESPONDENCE WILL BE DRAFTED BY ME
TO HAVE DIS. CORRECTED. STATION PRESENTED A
GOOD APPEARANCE.

[Signature]

STATEMENT BY OFFICER-IN-CHARGE

(Officer-in-charge will state hereon action taken on above instructions, and give date of completion of repairs, etc., if any were ordered.) Discrepancies remedied

Frank P. Schubert
(Signature of Officer-in-charge)

10 Feb 1962, 19
(Date)

RECORD OF INSPECTIONS

(SEE INSTRUCTIONS ON INSIDE FRONT COVER)

Station inspected 8 MARCH, 1962

Inspection made by LTJG J.B. EMBRES & LTJG P. PSOTA

Instructions to Officer-in-charge as to condition of station, special work to be attended to, etc.,

INSPECTED STORM DAMAGE, PICTURES WERE TAKEN & A
FULL REPORT WILL BE SUBMITTED TO CCOB3 BY GROUP.
OINC DIR TO CLEAN AREA AS MUCH AS POSSIBLE. ACSMP
CARD WILL BE SUBMITTED FOR WORK BEYOND THE CAPABILITIES
OF OINC.

[Signature]

STATEMENT BY OFFICER-IN-CHARGE

(Officer-in-charge will state hereon action taken on above instructions, and give date of completion of repairs, etc., if any were ordered.) Area cleaned up as

well as possible with assist of Group

Frank P. Schubert
(Signature of Officer-in-charge)

10 March, 1962
(Date)

RECORD OF INSPECTIONS

(SEE INSTRUCTIONS ON INSIDE FRONT COVER)

Station inspected 8 May, 19 62

Inspection made by Lcdr R. D. Fuller USCG

Instructions to Officer-in-charge as to condition of station, special work to be attended to, etc.,

*Station visited in company with Mr. Charil
Malik of Indonesia and Lt Jg Embres
of Group. NY for purpose of Mr.
Malik's training. No discrepancies
noted.*

R. D. Fuller

STATEMENT BY OFFICER-IN-CHARGE

(Officer-in-charge will state hereon action taken on above instructions, and give date of completion of repairs, etc., if any were ordered.) *No Action needed*

Frank P. Schubert
(Signature of Officer-in-charge)
8 May, 19 62
(Date)

RECORD OF INSPECTIONS

(SEE INSTRUCTIONS ON INSIDE FRONT COVER)

Station inspected 19 June, 19 62

Inspection made by Ens C. S. Allen LTJg J. B. Embres

Instructions to Officer-in-charge as to condition of station, special work to be attended to, etc.,

*Station grounds and equipment in good condition.
Mark in red the 120V on volt meter.*

Edward S. Allen Ens

STATEMENT BY OFFICER-IN-CHARGE

(Officer-in-charge will state hereon action taken on above instructions, and give date of completion of repairs, etc., if any were ordered.) *Volt meter marked in
red on the 120 Volt mark*

Frank P. Schubert
(Signature of Officer-in-charge)
19 June, 19 62
(Date)

RECORD OF INSPECTIONS

(SEE INSTRUCTIONS ON INSIDE FRONT COVER)

Station inspected 11 October, 19 62

Inspection made by CAPT. ROSS P. BULLARD

Instructions to Officer-in-charge as to condition of station, special work to be attended to, etc.,

Light characteristic 2 seconds fast.
Station appearance excellent. Light structure maintenance excellent.
Label fuel tanks.

Ross P. Bullard

STATEMENT BY OFFICER-IN-CHARGE

(Officer-in-charge will state hereon action taken on above instructions, and give date of completion of repairs, etc., if any were ordered.)

Light characteristic
have been remedied
Fuel tanks have been labeled

Frank P. Schubert

12 October, 19 62

RECORD OF INSPECTIONS

(SEE INSTRUCTIONS ON INSIDE FRONT COVER)

Station inspected 6 December, 19 62

Inspection made by Edward S. Allen LTJG

Instructions to Officer-in-charge as to condition of station, special work to be attended to, etc.,

Station found in excellent condition. Held
a fire inspection and checked administrative
files. Stencil "no smoking" on paint locker.
Remove trash from utility locker in basement.
Separate communication files as instructed
Edward S. Allen LTJG

STATEMENT BY OFFICER-IN-CHARGE

(Officer-in-charge will state hereon action taken on above instructions, and give date of completion of repairs, etc., if any were ordered.)

No Smoking sign posted on
Paint Locker, removed trash from Utility
Locker in Basement, communications files
Separated as instructed

Frank P. Schubert

8 December, 19 62

RECORD OF INSPECTIONS

(SEE INSTRUCTIONS ON INSIDE FRONT COVER)

Station inspected 22 March, 19 63

Inspection made by E. S. Allen, LTJG

Instructions to Officer-in-charge as to condition of station, special work to be attended to, etc.,

Station found materially and administratively in excellent condition. Arrangements will be made to replace mattresses, tables & chairs. Held instructions on the admin. of Comtac Pub. Obtain a metal box for pub storage.
E. S. Allen, LTJG

STATEMENT BY OFFICER-IN-CHARGE

(Officer-in-charge will state hereon action taken on above instructions, and give date of completion of repairs, etc., if any were ordered.)

Comtac Pub. files filled filled out as directed. Metal box will be ordered from G.S.A. on next Quarter

Frank P. Schubert
 (Signature of Officer-in-charge)
23 March, 19 63
 (Date)

RECORD OF INSPECTIONS

(SEE INSTRUCTIONS ON INSIDE FRONT COVER)

Station inspected 4 April, 19 63

Inspection made by COR. C. E. MERRE, JR.

Instructions to Officer-in-charge as to condition of station, special work to be attended to, etc.,

MAINTENANCE OF STATION IS VERY GOOD. All Aids were checked and determined to be on characteristic. Voltage to main light was 120 Volts. Interior of light tower is excellent, and no evidence of condensation.

A Work Order has been issued this quarter for the replacement of four storm panes. Inspection of the cracked lens indicates that immediate replacement is not mandatory as the damaged section is located on the upper portion of the lens, and not in the bulls-eye section.

C. E. Merre, Jr.

STATEMENT BY OFFICER-IN-CHARGE

(Officer-in-charge will state hereon action taken on above instructions, and give date of completion of repairs, etc., if any were ordered.)

No action needed

Frank P. Schubert
 (Signature of Officer-in-charge)
4 April, 19 63
 (Date)

RECORD OF INSPECTIONS

(SEE INSTRUCTIONS ON INSIDE FRONT COVER)

Station inspected 26 APRIL, 1963

Inspection made by Lt. Charles T. Burlingame

Instructions to Officer-in-charge as to condition of station, special work to be attended to, etc.,

Maintain and administration of station in excellent condition.

Locked file for Classified Material is to be obtained at next quarter.

Station in excellent condition.

Charles T. Burlingame

STATEMENT BY OFFICER-IN-CHARGE

(Officer-in-charge will state hereon action taken on above instructions, and give date of completion of repairs, etc., if any were ordered.) *No action needed*

Frank P. Schubert
(Signature of Officer-in-charge)
26 April, 1963
(Date)

16-19079-1

RECORD OF INSPECTIONS

(SEE INSTRUCTIONS ON INSIDE FRONT COVER)

Station inspected 30 April, 1963

Inspection made by Capt. F. G. Haveland

Instructions to Officer-in-charge as to condition of station, special work to be attended to, etc.,

Station is in excellent condition. Housekeeping is immaculate. Aids to navigation checked and found to operate on correct characteristics. The Oinc is complemented on the condition of his station.

FG Haveland

STATEMENT BY OFFICER-IN-CHARGE

(Officer-in-charge will state hereon action taken on above instructions, and give date of completion of repairs, etc., if any were ordered.) *No action needed*

Frank P. Schubert
(Signature of Officer-in-charge)
30 April, 1963
(Date)

16-19079-1

RECORD OF INSPECTIONS

(SEE INSTRUCTIONS ON INSIDE FRONT COVER)

Station inspected 7 August, 1963

Inspection made by Chas W-2 (R. V. Finn)

Instructions to Officer-in-charge as to condition of station, special work to be attended to, etc.,

Inspected station found aids to navigation in excellent maintenance, and operating on correct characteristics. Ground and buildings in excellent condition.

R. V. Finn

STATEMENT BY OFFICER-IN-CHARGE

(Officer-in-charge will state hereon action taken on above instructions, and give date of completion of repairs, etc., if any were ordered.) No Action Needed

Frank P. Schubert
(Signature of Officer-in-charge)
7 August, 1963
(Date)